

www.purepro.net

WATER STORAGE TANK



Advantages of a metal diaphragm type expansion tank

- Metal shell has greater pressure resistance than plastic.
- Lower molecular porosity of metal eliminates air pressure loss.
- Diaphragm-type design assure stable water outflow.

Features:

- Stainless steel connection built for Reverse Osmosis water storage tank; pump tank & thermal tank applications.
- Brass cap with internal O-ring guarantees no air loss from air-vent.
- Smooth internal air vent cap prevents diaphragm damaged.
- High-grade butyl diaphragm, post-cure procedure insures a tasteless and odorless water chamber
- IAMPO approved.
- CE Mark approved.

© PUREPRO USA CORP., ILLINOIS, U.S.A.

PUREPRO
DRINKING WATER SYSTEM

Pure-Pro Water Corp.

Model	Total Tank Volume		Connector NPT	Dimension		Shipping Weight kg	Packet Volume Cu/ft	
	Gal.	Liters		Hight mm W/Stand W/O Stand	Diameter mm			
RO-120	1.8	6.8	1/4"		290	201	2.60	0.50
RO-122	2.2	8.3	1/4"	353		230	3.10	0.71
RO-132	3.2	12.0	1/4"	350		279	4.30	1.02
RO-152	5.5	20.8	1/4"	408	307	290	4.90	1.28
RO-1070	10.7	40.1	1"BSP	575	307	390	12.30	3.22
RO-2000	20.0	75.7	1"BSP	770	307	390	16.70	4.43
TP-100	28.0	100.0	1"BSP	804	307	430	21.30	5.64
TP-12P	3.2	12	1/4"NPT		364	240	4.00	0.8
TP-19P	4.0	15	1/4"NPT		401	280	5.00	1.2

REMARK

- Maximum Working Pressure: 100PSI
- All Tanks are Pre-charged at 7 PSI



WATER STORAGE TANK

© PUREPRO USA CORP., ILLINOIS, U.S.A.

